VISIOFOCUS® AND VISIOFOCUS® PRO "NON CONTACT" THERMOMETERS

VisioFocus[®] is the most advanced thermometer to precisely measure body temperature. Totally hygienic, without touching the skin, VisioFocus® reads infrared radiation naturally emitted by the surface of the skin and calculates the whole body temperature.

 25573 VISIOFOCUS® 25574 VISIOFOCUS[®] PRO

High accurate "non contact" thermometer that projects the temperature on the forehead. Advantages of VisioFocus®:

- exclusive patented aiming system guarantees correct point and distance

- projection of the temperature on the forehead

- face button automatically adjusts forehead temperature to the environment (room) temperature for accurate result - exclusive and patented AQCS and MQCS systems to maintain correct and constant temperature of device during long periods of use or when moving between rooms with different temperatures

- clinically tested

////

- totally hygienic for patients and users: no touch & no disposables

- no laser: absolutely safe for travellers and users, no harm if the person eyes are open while measurement is taken

- CE, FDA, Koseisho, TGA, CFDA (VisioFocus®), CE (VisioFocus® Pro)
- instantaneous: gives temperature in less than 1 second

NON CONTACT THERMOMETER

 25591 INFRARED NON CONTACT THERMOMETER

Multifunctional infrared non contact thermometer for body and objects.

Effective distance 5-15 cm. Body temperature with fever teller Wide range 32.0-42.9 °C (89.6-109 °F)

and green, yellow, red backlight.

Object temperature 0-100 °C (32-212 °F) Body object function for ambient temperature, milk or bath surface temperature.

Fever alarm

32 memories

Instant response time: 1 second Auto/manual power off.

Supplied with 2AA batteries.

Size 160x95x46 mm.

Display 30x31 mm. Reading scale °C/°F switchable

Multilanguage box and manual: GB, FR, IT, ES.

FEVER TELLER







- Nurs and Doct functions (only 25574) for pandemic situations: allow to take temperature of up to 1,000 travellers per hour. Nurs has obliged MQCS every 30 minutes, Doct has automatic AQCS - low using cost thanks to the long battery life and speed of measurement that allows to reduce the number of thermometers and of operators necessary for a wide screening

- Made in Italy Visiofocus® is supplied with batteries and manual (GB, FR, IT, ES) 25573 25573 Visiofocus[®] Pro is supplied in a case with lanyard, batteries and manual (GB, FR, IT, ES) 25574 BODY TEMPERATURE OBJECTS





TECHNICAL SPECIFICATIONS

Forehead measuring range 34.0 /42.5°C (93.2/108.5°F) 1.0/80°C (33.8/ 176°F) Measuring range (apart from forehead) Room temperature working range 16/40°C (50/104°F) Can work also in environments with a temperature between 10 and 16°C (50/60.8°F) and between 40 and 45°C (104/113°F) but in this case the accuracy is reduced Resolution 0.1° Accuracy level According to ASTM E 1965-98:2009 Distance of operation: About 6 cm (2.36") Batteries (included) 4 AAA/LR03 type (preferably alkaline) **Batteries** life <30,000 measurement Measurement time <0.5 seconds

Time between consecutive measurements <2 seconds

FOREHEAD THERMOMETER 25585 INFRARED MULTI-FUNCTION FOREHEAD THERMOMETER 32212 SPARE BATTERY Multifunctional innovative infrared thermometer with 5 applications:

forehead temperature, room temperature, scan mode for surface temperatures (bath water or milk), real time clock, stopwatch.

- friendly 3 LED zone indicator to get fever status

- large LCD to read easily 3 LED Fever Indicator - detailed 9 memories with time/date & site
- fever alarm with beeper

- instant measurement

- **(€** 0476
- selectable °C/°F mode small size to carry when travelling
- accurate: ± 0.2/0.3 °C

- self-diagnosis warning when device is abnormal.

Packed in deluxe card board box.

	Forehead
TECHNICAL SPECIFICATIONS	
Measurement range: - forehead: 34.0 °C~42.2 °C (93.2 °F~108.0 °F) - scan mode: -22/80 °C (-7.6-/76 °F)	Scan mode
- scan mode: -22/80 °C (-7.6-7/6 °F) Response time: 5-30 sec Time between measurements: > 5 sec	Room temperature
Display Model °C/°F Battery Type: CR2032 (32212)	Real time /Date display
Dimension (LxWxH) - Weight: 14x3.8x3 cm - 70 g Norms: IEC60601-1, IEC60601-1-2 (EMC), ASTM E1965-98	Stopwatch



Yellow backlight

75

25585

5 APPLICATIONS

THERMOFOCUS® PROFESSIONAL "NON CONTACT" THERMOMETERS

THERMOFOCUS THERMOMETERS The most advanced thermometers in the world! Thermofocus reads infrared radiations emitted by the surface of the skin and calculates accurately the body temperature. - without touching: never in contact



A patented optic-aiming system allows to immediately find correct distance for measurements.

- non invasive: does not require patient collaboration,

recommended for children

to avoid any risk of infection

- accurate: a sophisticated microprocessor ensures high precision

- economic: no need of expensive probes
- fast: takes the temperature in less than one second
- 1 °C-55 °C: for measurement of wide range of objects
- body temperature scan (25571/2): can be done quickly

• 25570 THERMOFOCUS - mod. 0700A2 - 2 buttons - blister FOR FAMILY For the private user who needs an easy, fast and precise thermometer. Simply press the ON button, hold it perpendicular to the centre of the forehead and release the button as soon as the two red lights converge in a single point. It can also be used to take the temperature of objects such as a baby's feeding bottle. Not recommended for doctors and hospitals.


• 25571 THERMOFOCUS - mod. 1500 - 6 in 1 - 3 buttons FOR DOCTORS For the family or the private doctor who require maximum accuracy and flexibility of the temperature taking. Same as 25570 with an additional button ("home") to read the ambient temperature and the skin temperature (professional use), as well as the temperature of objects and liquids within a range from 1 to 55 °C (33.8 to 131 °F). Provided with the exclusive Manual Quick Calibration System (MQCS) technology through which you can always perfectly stabilize the thermometer to the ambient temperature.

• 25572 THERMOFOCUS - mod. 1500A/ H1N1 3 buttons HOSPITAL-EMERGENCY Specifically studied for hospitals, airports, schools, factories, etc. in case of emergency and/or pandemic situations. Quick, accurate and easy to use, allows a fast and hygienic temperature reading for thousands of consecutive measurements. Same as 25571, but with



pandemic situations

compulsory MQCS technology (Manual Quick Calibration System), through which you can always perfectly stabilize the thermometer to the ambient temperature, ready to take series of measurements. Supplied with a lanyard to be, worn around the neck.



TECHNICAL SPECIFICATIONS

Forehead measuring range: Measuring range (apart from forehead): Ambient temperature working range Precision: Accuracy level according to ASTM E 1965-98: from 34 to 35.9 °C (93.2/96.6 °F)= from 36 to 39 °C (96.8/102.2 °F)=

from 39.1 to 42.5 °C (102.4/108.5 °F)


34.0/42.5 °C (93.2/108.5 °F) 1.0/55.0 °C (33.8/131 °F) 16/40 °C (60.8/104.0 °F)* 0.1 °C (0.2 °F)


±0.3 °C (±0.5 °F) ±0.2 °C (±0.4 °F) ±0.3 °C (±0.5 °F)

Distance of operation: 3 cm (1.2 inch) fixed through optical signal The termometer can work also in environments with a temperature between 5 and 16 °C (41/60.8 °F), but we do not guarantee the accuracy.

144.82x39.84x48.50 mm - 68.8 g


Battery: 4xAAA (1.5V) included Weight: 99 g Size: 165x40x22 mm Manual: GB, IT, FR, ES only for 25570-1. On request: PL Soft manual available on request: FR, ES, DE, DK, NO, NL, PT, FI, S , TR, GR, RU, AR, KR Made in Italy





Dimension - weight:

Norms: IEC60601-1, IEC60601-1-2 (EMC), ASTM E1965-98



• 25551 ECOLOGICAL OVAL THERMOMETER - box of 12 25587 SHAKER for ecological thermometers - box of 24 Mercury free clinical thermometer with gallium alloy instead of mercury. Safe, precise and functional. Glass structure.

POCKET EAR THERMOMETER

• 25579 POCKET EAR THERMOMETER

Small, easy to clean, cover free design ear thermometer. Home use. **TECHNICAL SPECIFICATIONS**

Measurement Range:	3
Response time:	1
Battery:	L
Size - weight:	1

34-44 °C (93.2-111.2 °F) - ±0.2 °C (±0.4 °F) -2 seconds ithium 3 V (CR2032) - life approx 4,000 measurements

14x35x40 mm - 35 g (including batteries)





• 25555 PANDA DIGITAL THERMOMETER °C - hang box water-proof, fever alarm



• 25566 FROG DIGITAL THERMOMETER °C - hang box - flexible tip

 25586 ECOLOGICAL OVAL THERMOMETER with shaker - box 25589 ECOLOGICAL OVAL THERMOMETER with shaker display box of 24 pcs.

Same as 25551 but supplied with a shaker to help shake down gallium after use.

WIRELESS THERMOMETER

 25548 TEMP SITTER - baby wireless thermometer Accurate and innovative thin thermometer. Transmission to mother smartphone APP (iOS and Android). To be placed under baby armpit. High temp alarm can be set in the APP. Waterproof and material of safe quality. Supplied with 10 adhesives to fix thermometer to baby armpit.

• 25547 ADHESIVE TO FIX TEMP SITTER box of 10 - spare

25548

25548 **TECHNICAL SPECIFICATIONS**

Battery life: 3,000 hours, not replaceable Measurement range: 25-45 °C (±0.05 between 35-38.5 °C)


Size: 51x32x7 mm

NIPPLE-LIKE DIGITAL THERMOMETER

• 25569 NIPPLE-LIKE DIGITAL PACIFIER THERMOMETER °C Individually packed in cardboard box, memorizes last temperature. Auto power-off. Display range 32.0°C - 42.0°C, with accuracy ±0.1°C.













DENTAL HYGIENE

• 36655 GERMORAL MOUTHWASH - bactericidal mouthwash

Ultrasonic

repelling device

against

mosquitos.

One display contains 12 bottles of 300 ml For daily oral hygiene, Germoral prevents and acts against the formation of bad breath because it stops fermentation in the oral cavity. It performs an essential antiplaque and hygienic action. Particularly suitable for smokers, prothesis or paradontic teeth users or after dental surgery for disinfecting the oral cavity.

If regularly applied it prevents and acts against inflammations, gingival disorders, dental plaque formation.

SPLINTER



24390 TICK TWEEZER



 24391 SPLINTER WITH MAGNIFYING GLASS 2X - 8 cm

<u>UN</u>STINGER®

• 24395 UNSTINGER®

Electronic stimulator against

fishes.

snake bites or poisonous stings

of insects and

toxic reaction.

Few electric shocks

are enough to reduce

€ 0051

Insect poison extraction tool. An easy and painless way to avoid the discomfort that follows from bites and stings by bees, wasps, hornets and even scorpions or snakes.

Reusable one-hand operated vacuum pump which easily and painlessly extracts poison and venom from a sting or bite.



HEALTH CARE - PATIENT AIDS

PHARMADOCT FIRST AID, MEDICATION AND WELLNESS

		/ .			
25300	25301	Pharma doct 100 uset in LABER Meganetic LABER Merita Kalanen Netto Kalanen Kalanen kalanen kalanen Kalanen kalanen kalanen Kalanen kalanen kalanen Kalanen kalanen kal	25305	Pharmacocci A meri traditional Meriti traditional Merita traditional Merita traditional Merita tradit	25310
25312	25314	25320	25322	25324	25335
Charmen doors Comments in later Comments in later	25332	25337	25316	25318	25372
25350	25351	25352		25380	25382
25360	25361	25362	25363	Pharma 253	2000 100 100 100 100 100 100 100 100 100

All products are in blister with 7 languages package (GB, FR, IT, ES, DE, PT, GR) except 25332, 25380/82/90 (only GB, FR, IT, ES, DE)

GIMA code	PHARMADOCT LINE	Pieces per box	Minimum order*	GIMA code	PHARMADOCT LINE	Pieces per box	Minimum order*
25300	Classic plasters - 7x2 cm	20	12 box	25316	Herpes patch	15	12 box
25301	Classic plasters - 5 assorted sizes**	30	12 box	25318	Nasal strips	10	12 box
25302	Classic plasters - 6 assorted sizes***	100	12 box	25372	Ear plugs	4	12 box
25305	Hypoallergenic plasters - 5 assorted sizes**	30	12 box	25350	Corn plasters	10	12 box
25307	Hypoallergenic plasters - 2 (7.5x7.5), 2 (7.5x10)	4	12 box	25351	Oval corn plasters	9	12 box
25310	Children plasters "tattoo" 10 (6x2), 6 (7x3.8)	16	12 box	25352	Blister plasters	5	12 box
25312	Plasters with hemostatic gauze	20	12 box	25370	Dental floss	1	12 box
25314	Hand plasters - 5 (12x2), 5 (7x2), 4 (butterfly)	14	12 box		Lip balm classic	1	12 box
25320	Dressing strip 100x6 cm	1	12 box		Lip balm strawberry	1	12 box
25322	Cloth roll - fabric - 5 mx1.25 cm	1	18 box	25360	Nail scissors	1	12 box
25324	Cloth roll 5 mx2.5 cm	1	12 box	25361	Cuticle clipper	1	12 box
25335	First aid - kit of 8 different products	8	8 box	25362	Nail file	1	12 box
	Cotton gauze swabs 18x40 cm	6	12 box	25363	Tweezer	1	12 box
25332	Elastic bandages 4 mx6 cm	2	6 box		Small nail cutter	1	12 box
	Adhesive elastic compression bandage 2.5 m x 6 cm	1	6 box	25390	Condoms	12	8 box

*Minimum order is carton of "....." boxes, each one containing "....." pieces ***30 (7x2), 20 (4x1), 20 (7x2.4), 10 (Ø 2.5), 14 (6x2), 6 (3.8x3.8)

**10 (7x2), 10 (4x1), 2 (3.8x3.8), 4 (7x2.4), 4 (Ø 2.5)

QUALITY PILL SPLITTERS AND PILL PULVERIZERS

These easy tools are ideal for elderly people, children and hospital attendants. Useful also for medicating pets. They avoid dispersion of medicine and guarantee integrity of the dose. Easy to clean, also in dishwasher. Made in non-toxic, unbreakable material.

- 25729 PILL SPLITTER bulk
- 25730 PILL SPLITTER with box
- 25743 ULTRA PILL SPLITTER blister

Accurately divide tablets, large and small pills for reduced dosage or easier ingestion. Simple to operate.

Top quality products, made in Europe (25729-30), USA (25743)

• 25747 DISPLAY FOR SPLITTER (25730) PULVERIZER (25731) - empty (English language)

Suitable for 4 pill splitters and 4 pill pulverizers. Available in any language on request.

25731 PILL PULVERIZER - with box 25744 ULTRA PILL PULVERIZER blister

Powerful pulverizing point, powders pills of any shape and size, with an easy twist of the wrist.



GIM



MIXED COLOURS PILL SPLITTERS - BOX OR DISPLAY

25766



25748 PILL SPLITTER - box of 12 pcs
 This box includes 12 pill splitters in 4 colours: light blue, green, transparent lavender and transparent orange.

 25749 PILL SPLITTER - display box of 12 pcs

Counter display box including 12 pill splitters in 4 colours (light blue, green, transparent lavender and transparent orange) in a single cardboard box.

25749

COMBO SPLITTER-CRUSHER



• 25766 COMBO PILL MANAGER 4 IN 1 Four functions in a practical device: pill splitter, pill crusher, pill box and water cup.

VIALS OPENER

• 25739 VIALS OPENER - box of 20 A practical tool to help opening vials in a safe way.

PILL BOX TIMER

• 25765 PILL BOX TIMER

Pocket pill box timer in ABS material, size 90x50x19 mm, supplied in cardboard box with batteries.


Double pill box space to store pills and tablets. It reminds when you have to take your medication with a countdown up to 19 hours and 59 minutes.











LEASY LIFE: AIDS FOR DAILY LIVING



 28920 CUTLERY SET • 28921 BENDABLE CUTLERY SET Set of 4 pieces (knife, fork, tea and table spoon). Made in stainless steel with thick, ribbed rubber handle (10 cm) for easy grip



 28925 SPOON & FORK HOLDERS - pack of 2 pcs. These portable, stylish holders fit onto virtually any style spoon and fork providing a secure grip (spoon and fork are not included).



• 28966 DRINKING GLASS box of 210

Drinking glass made of polypropylene with a separated tap and a lip. Capacity 250 ml graduated by 25 ml. Áutoclavable. Can be disinfected in washer. Not for microwaves



• 28901 PENCIL GRIP pack of 2 pcs.

Rubber grip for pens or pencils. Helpful aids for elderly or disabled people. These cushions are designed in both shape and density to alleviate stress while providing a secure grip.



• 28950 EASY OPENER This all in one product easily opens bottle caps, pull tabs, and even those impossible box tops! Designed to provide safety for the user.



• 28951 JAR OPENER & CLOSER This uniquely designed product concentrates hand power to remove lids and turn facets effortlessly.



• 28945 SHOPPING BAG CARRIER This product provides an effort-free handle that remains constantly supportive, needed, yet small enough to regardless of bag loads.





• 28941 MULTIPLE KEY TURNER Designed to assist person with limited wrist strength or movement. People with arthritis or other limited hand mobility can manipulate keys with ease. House keys and most car keys (without plastic head covers) fit into the slots and are held by a single screw.



• 28912 SOCK AID NOTCH Soft terry cloth on one side grips the sock, while smooth nylon on the other side reduces friction, allowing your foot to slip in easily. Two long loop handles are easy to hold and assist with pulling the sock onto your foot. Ideal for those who have the use of only one hand or with decreased strength or coordination.

28911

28911 ZIPPER AND BUTTON PULLER

For those with weak or arthritic fingers, there's probably no more difficult task than fastening a button! This unique product eliminates the frustration by pulling the button or zipper into position. Folds to half-length to fit easily into pocket or purse.



28940 EASY KEY TURNER pack of 2 pcs

These enlarged key turners are designed with the turning effort already begun, so completion of the turn is accomplished with minimal effort. Two different colours per package.



Lightweight sponge feature soft polyfoam attached to a plastic handle. Available with contoured sponge.

• 28963 GRASPING TOOL - foldable Your extended reach grasping tool will help you to eliminate bending or climbing for those hard-to-reach items. Length: 80 cm, foldable in 2. Locking tab holds the item in place.



• 28960 GRASPING TOOL - 3 WAYS - 66 cm Aluminium body, PP handle. Three grasping ways steel hook, magnetic tip, rubber head.

SOAPED SPONGE, SOAPED AND NON SOAPED WASH GLOVE



 36660 SOAPED SPONGE - box of 500 Disposable sponge in foam soaked with anallergenic, neutral PH soap. Ideal for patient cleaning and hygiene. Individually packed. Size: 7.5x12xh 2.5 cm

SKIN SOAP

• 36671 FRAGRANCE SKIN SOAP - 1,000 ml

Delicate skin protective. Fragrance soothing bath and shower with moisturizer RAGRANCE active agents, respects the lipid mantle and it is delicate on skin leaving it fresh and pleasantly soft. It is used for daily hygiene as a normal liquid soap, suitable for personal hygiene, bath, shower and shampoo. Suitable for frequent washing and very sensitive skins too, it protects and soothes sensitive skin of children and elderly people. Fast to be rinsed leaves a fresh cleanness sensation. Sold in box of 12 pcs, only 2 pieces come with dispenser pump. • 36690 DISPENSER PUMP

HOT-COLD GEL



 36663 SOAPED WASH GLOVE - box of 50 Disposable mitten to wash patient. Made in non woven and sponge, soaked with liquid soap with neutral PH and anallergenic. Ideal for patient cleaning and hygiene. Size: 15x25 cm

GERMELLA

• 36672 GERMELLA - 1,000 ml Germella is a skin-protecting liquid detergent combining the properties of three extraordinary medical plants: Camomile, Sage and Aloe. Camomile and Sage and have moisturizing and soothing qualities. Aloe Vera's main property is soothing Moreover Aloe makes your skin soft and velvety. Thanks to the Camomile, Sage and Aloe extracts, Germella is a delicate detergent, which respects the natural defence of

skin and mucous membranes. Thanks to its natural ingredients Germella is also particularly suitable for daily intimate care. Sold in box of 12 pcs, only 2 pieces come with dispenser pump.



Disposable wash glove to clean patients. Made in special airlaid, which allows to soap and rinse patient, and waterproof PE. Embossed surface allows a deep cleaning. Size: 16.5x22 cm. Made in Italy.



 36666 BIBS WITH POCKET - box of 600 Disposable bibs made of 1 ply of highly absorbent wadding of cellulose and 1 ply of waterproof blue polyethylene. Box of 600 (6 bags of 100). Made in Italy.





• 34114 HOT-COLD THERMO GEL Size: 14x28 cm - box of 30 pcs. Special gel keeps temperature (hot or cold) for long time.



standard - blue

100% made of rubber, latex free. • 28601 HOT WATER BOTTLE 2 | - red 25% made of rubber, latex free. Both are two side ribbed. Packed in plastic bag with multilanguage user manual (GB, FR, IT, DE, ES, PT, GR).

Single packed in carton box, with multilingual manual (GB, FR, IT, DE, ES, PT, GR) • 28606 ICE BAG - Ø 28 cm - small top cap O.D. 7.15 cm, I.D. 4.7 cm - blue Made polyester fabric + PVC. Single packed in transparent bag with multilingual

manual (GB, FR, IT, DE, ES, PT, GR)

ELECTRIC HEATING PAD

• 28655 ELECTRIC HEATING PAD Suitable for many applications. • 28656 ELECTRIC "SAND" HEATING PAD

The use of purified marine sands make it possible to naturally transmit their beneficial warmth.

Heating: position 1 up to 42°C in 30 min, position 2 up to 66°C (max 56°C first hour, up to 66°C following hours)

External cover in cotton (94%) and nylon, internal bag in PVC Operating power: 230 V - 50/60 Hz - 75 W (28656) - 55 W (28655)



GRADUAL COMPRESSION, UNISEX, COTTON SOCKS

UNISEX GRADUAL COMPRESSION COTTON SOCKS High guality knee socks made from soft cotton combined with elastic fibres to provide proper gradual compression. Special attention was dedicated to the development of this cotton product line in order to ensure maximum fibre quality, along with an extremely soft elastic cuff that offers high levels of expandibility: all to ensure maximum comfort and wellness throughout the day.

This product line also offers two different compression levels (medium and strong) and is available in two colours (black and blue). On request, for quantities (minimum 100 socks) available also light and extra strong compression and beige and grey colours.

Medium compression level: 14-16 mm/Hg at the ankle To help prevent discomfort and heaviness in the legs. Composition: 67% cotton, 26% polyamide, 7% elastane. High compression level: 15-21 mm/Hg at the ankle To help prevent the onset of venous disease.

Composition: 63% cotton, 27% polyamide, 10% elastane. It is a Medical Device. Made in Italy.





SUPPORT SHEER LINE

Knee Socks, Stockings and Tights designed for dynamic women who need the preventive action of elastic compression but don't want to compromise on style.

This elegant product line features a true heel, an anti-shrink cuff and extremly soft fabrics.

This line offers two different compression levels (medium and strong) and is available in beige or black.

Medium compression level: 70 den - 10-14 mm/Hg at the ankle Ideal for those who would like to initiate a prevention

programme, but are mainly interested in the comfort and wellbeing offered by elastic compression stockings.

Composition: 84% polyamide, 16% elastane (Stay ups, Pantyhoses). 85% polyamide, 15% elastane (Knee-highs).



Knee-high with a gradual compression, comfort top, honeycomb mesh

KNEE-HIGHS								
	MEDIUM COMPRESSION							
Colour	Small/Medium	Large/X-Large						
Black	41100	41101						
Beige	41102	41103						
	STRONG COMPRESSION							
Black	41106	41107						
Beige	41108	41109						





Multilanguage box and instructions: GB, FR, IT, ES, PT, DE, GR, HU

GRADUAL COMPRESSION COTTON SOCKS							
	MEDIU		ESSION SO	СКЅ			
Colour	Small	Medium	Large	X-Large	XX-Large		
Black	41220	41221	41222	41223	41224		
Dark blue	41225	41226	41227	41228	41229		
STRONG COMPRESSION SOCKS							
Black	41240	41241	41242	41243	41244		
Dark blue	41245	41246	41247	41248	41249		
Shoe size							
European	37 - 39	39 - 41	41 - 43	43 - 45	45 - 47		
US - Men	5 - 6½	6½ - 8	8 - 9½	9½ - 11	11 - 12½		
US - Women	6½ - 8	8 - 10	10 & over	-	-		

Strong compression level: 140 den - 15-21 mm/Hg at the ankle Ideal for those suffering from the initial signs of ankle swelling and discomfort.

This level of compression is also highly indicated in case of initial onset of varicose veins. The product's compression level supports and massages the leg, thus providing effective relief throughout the day. While this product line boasts an extremely elegant design, particular attention has also been dedicated to maximum elasticity, which is ensured through the use of a honeycomb fabric (net fabric).

It is recommended to ask the advice of a physician prior to use. Composition: 79% polyamide, 21% elastane.

These products are Medical Devices. Made in Italy.



	,, ,						
STAY UPS							
MEDIUM COMPRESSION							
Small	Medium	Large	X-Large				
41120	41121	41122	41123				
41124	41125	41126	41127				
STRONG COMPRESSION							
41132	41133	41134	41135				
41136	41137	41138	41139				
	MEDIUM Small 41120 41124 STRONG 41132	MEDIUM COMPR Small Medium 41120 41121 41124 41125 STRONG COMPR 41132 41132 41133	MEDIUM COMPRESSION Small Medium Large 41120 41121 41122 41124 41125 41126 STRONG COMPRESSION 41132 41132 41133 41134				

PANTYHOSES							
	MEDI	UM CO	MPRESS	SION			
Colour	Small	Medium	Large	X-Large	XX-Large		
Black	41150	41151	41152	41153	41154		
Beige	41155	41156	41157	41158	41159		
STRONG COMPRESSION							
Black	41165	41166	41167	41168	41169		
Beige	41170	41171	41172	41173	41174		
-							

ANTI-EMBOLISM ELASTIC STOCKINGS - MADE IN ITALY

A line of stockings dedicated to prophylaxis of thromboembolism before, during and after surgery. Thanks to their descending graduated compression, these stockings represent an excellent means of preventing increased blood viscosity, which can lead to the formation of thrombus.

In order to guarantee a good fit and properly graduated compression, a great deal of attention has been dedicated to ensuring the high elasticity of the fabrics.

Indications:

- a valid aid in preventing thromboembolisms linked to surgical interventions.

- treatments associated with post-traumatic therapies.

- bruises, sprains and hydrostatic edemas Contraindications:

- localized dermatitis, erythema, necrosis
- stripping, pulmonary edema, grafts
- vascular disorders of cardiac origin
- legs of larger circumference
- Features:
- decreasing compression from the ankle to the thigh
- true anatomic heel
- extremely soft and elastic fabric, hypoallergenic (latex free)
 inspection opening on top of the foot
- Composition: 82% polyamide, 18% elastane. These products are Medical Devices.



41321

80-90 cm 41324 41325 41326 41327

SOFFISOF INCONTINENCE PADS - MADE IN ITALY

70-80 cm **41320**

Multilanguage package: GB, FR, IT, ES, DE, PT, Arabic AIR BREATHING

41323

41322

AIR BREATHING

Suitable for autonomous people who live an active life; ideal also for patients during their recovery phase or during neuromotorial rehabilitation.

36701 - 36705 SOFFISOF CLASSIC AND AIR DRY INCONTINENCE PADS

Elasticated incontinence pads anatomically shaped, for moderate to high incontinence level. Air dry pads have breathable backsheet. These high absorption incontinence pads offer maximum comfort thanks to their special shape, especially designed to fit perfectly

MediumLargeSOFFISOF CLASSIC3670136702Moderate incontinence-day3670436705Heavy incontinence-night

36707 36711

user's body. Lateral borders guarantee maximum security against any liquid leak and adhesive tapes make it easy to wear and use. Odour control thanks to combination of a last generation polymer and special kind of cellulose, 100% PEFC certified cellulose.

Moderate incontinence: box of 90 (6 boxes of 15) Heavy incontinence: box of 60 (4 boxes of 15)

MediumLargeSOFFISOF AIR DRY3670736708Moderate incontinence-day3671036711Heavy incontinence-night

36715 - 36716 SOFFISOF PANTS/PULL-UP box of 84 (6 boxes of 14)

Practical disposable absorbable pant wearable as normal underwear for moderate to high incontinence level. Made of soft breathable non woven fabric to guarantee maximum comfort. It fits suser's body to offer discreet and high protection against leakages.

MediumLargeSOFFISOF PANTS/PULL-UP3671536716Moderate incontinence-day

SOFFISOF ABSORBENT BED PADS

36720 SOFFISOF ABSORBENT BED PAD - 60x90 cm - box of 90 (6 boxes of 15)
36721 SOFFISOF ABSORBENT BED PAD - 80x180 cm - box of 90 (6 boxes of 15) Absorbent bed pads in 2 different sizes.
100% PEFC certified cellulose.

They assure high absorption and protection to bed.

BATH/SHOWER CHAIRS



40 cm 50 cm 50 cm 42906

• 27730 SHOWER CHAIR with backrest

Aluminium frame, seat and backrest in plastic material. Height adjustable (35-45 cm), non slip end. Load: 100 kg. • 42906 REINFORCED SHOWER CHAIR with backrest Aluminium frame, seat and backrest in plastic material. Height adjustable (42-52 cm), non slip end. Load: 150 kg.

SHOWER COMMODE WHEELCHAIR



• 42915 SHOWER COMMODE WHEELCHAIR Foldable shower commode wheelchair with aluminium frame and plastic seat. Flip-up armrest and lockable front castors. Size: 75x44x48 cm Weight: 6 kg. Load: 100 kg.



• 42907 SHOWER CHAIR with backrest and armrest Aluminium frame, seat and backrest in plastic material. Height adjustable (41-54 cm). Load: 100 kg.

🔲 BATH CHAIR

42920 23 cm

BATH STEPS

• 42920 BATH STEP - 1 step • 42921 BATH STEP - 2 steps Stainless steel frame and plastic steps. Size: 27x41xh 14 cm (42920). Size: 51x41xh14-29 cm (42921). Load: 100 kg

27755

36 cm

79 cm

Overall width

• 27755 SWIVEL BATH CHAIR Revolving bath chair at 360° with 4 positions for easier access to bath. Polypropylene seat. Frame in painted steel, rotation system in stainless steel. Load: 100 kg. Weight: 5.5 kg Made in Italy.

BATH SEAT

• 42910 BATH SEAT - adjustable Aluminium frame and plastic seat (41x23 cm) Load: 100 kg.

42910

39 cm

73-78 cm adjustable

BATH/SHOWER STOOLS



• 27733 ADJUSTABLE SWIVEL STOOL WITH HANDLE - easy tool-free installation - swivel seat with 90 degree

27733

position lock at every right angle location - non-slip central seat pad and soft under-covers

- load 135 kg (300 lbs)



• 42900 SHOWER STOOL - fixed

Shower stool with aluminium frame and plastic seat 50x30 cm. Height adjustable 35-45 cm. Non slip end. Load: 100 kg

• 42901 SHOWER STOOL foldable

Shower stool with aluminium frame and plastic seat 50x30 cm. Height adjustable 44-47.5 cm. Non slip end. Load: 100 kg

42901



• 42903 SHOWER STOOL Shower stool with aluminium frame and plastic seat Ø 32.5 cm. Height adjustable 38-56 cm. Non slip end. Load: 100 kg.

RAISED TOLLET SEATS - MADE IN EUROPE



• 27750 RAISED TOILET SEAT height 12.5 cm with fixing system (front screw) and fixed armrest made in anodized aluminium. Max load 130 kg (286.6 lb). Packing: 410x165x468 mm



• 27741 ARES RAISED TOILET SEAT - 10 cm with lateral fixing system. Max load 225 kg (495 lb). Packing: 373x128x410 mm



• 27751 RAISED TOILET SEAT height 12.5 cm with fixing system (back and front screw) and anodized aluminium reclining armrest. Max load 130 kg (286.6 lb). Packing: 410x165x468 mm



• 27740 ARES RAISED TOILET SEAT - 14 cm with lateral fixing system. Max load 225 kg (495 lb). Packing: 373x165x410 mm



• 27756 CLIPPER RAISED TOILET SEAT - 11 cm Easily adapt to any toilet bowl. Totally made of injected plastic. 4 fixation clips to secure strongly the seat on the toilet bowl. Max load 185 kg (407 lb).



 27735 ARES RAISED TOILET SEAT with LID - 10 cm
 27737 ARES RAISED TOILET SEAT with LID - 14 cm with lateral fixing system.
 Max load 225 kg (495 lb).
 Packing: 373x128x410 mm (27735) 373x165x410 mm (27737)

28972 SAFETY GRAB BAR - 443 mm
 28973 SAFETY GRAB BAR - 545 mm
 28974 SAFETY DOUBLE GRAB BAR

Innovative line of GRAB BAR, can be quickly installed everywhere without need of drilling and screwing.

Patented suction cups (Ø 93 mm).

Holds up to 60 kg (28972/3) or 85

(28974) lateral weight (tested by

kg (28974) vertical and 45 or 60 kg

SGS). Ideal solution to support elder

people during daily bathroom use.

Top quality product made of heavy

suction indicator for better safety.

duty ABS, with patented "green/red"

SATETT SOCTOCACCIACAD DAACS

PLASTIC RIBBED GRAB BAR



• 28975 PLASTIC RIBBED GRAB BAR - 30 cm

- 28976 PLASTIC RIBBED GRAB BAR 45 cm
- 28977 PLASTIC RIBBED GRAB BAR 60 cm

Ribbed plastic grab bar in Medical PVC, complete with ABS mounting plates and screw covers. Wall screws not included. Electrically isolated. The ribbed bars offer excellent anti-slip grid and are warm to the touch. Can be mounted either horizontally or vertically. Tube Ø 3.5 cm. Max user weight 120 kg (205 lb). Manual: GB, IT. Made in Italy.

U-SHAPE STEEL GRAB BAR

- 929 mm



• 28979 U-SHAPE STAINLESS STEEL GRAB BAR - 70 cm White powder coated wall mounted lift up toilet support.

Designed to help getting up or transferring to and from the toilet. It can be folded upwards for easy accessibility.

Max user weight 125 kg (275 lb). Supplied without wall screws. Manual: GB, IT. Made in Italy.



SAFETY SUCTION GRAB BARS

HEALTH CARE - PATIENT AIDS



Adjustable neight: 72-94 cm - weight 0.4 kg - max load 120 kg • 27780 "T" HANDLE ALUMINIUM WALKING STICK - silver Adjustable height: 71-94 cm - weight 0.36 kg - max load 100 kg • 27781 "T" HANDLE ALUMINIUM WALKING STICK - black Adjustable height: 67-90 cm - weight 0.3 kg - max load 100 kg • 27782 FOLDABLE ALUMINIUM WALKING STICK - coffee Adjustable height: 80-90 cm - weight 0.37 kg - max load 100 kg • 27783 FOLDABLE ALUMINIUM WALKING STICK - cashmere pattern Adjustable height: 86-96 cm - weight 0.36 kg - max load 110 kg • 27784 CURVED HANDLE ALUMINIUM WALKING STICK Adjustable height: 77-100 cm - weight: 0.32 kg - max load 100 kg

27795 RUBBER TIP int. Ø 19 mm - grey for 27780-2, 27793 - bag of 5
 27796 RUBBER TIP int. Ø 15 mm - grey for 27790, 43070 - bag of 5

• 43070 QUADRIPOD Q1 with PU handle - aluminium - silver Adjustable height 74-97 cm, weight 0.9 kg

• 43071 QUADRIPOD Q2 with small base and PU handle - silver Adjustable height: 65-88 cm, weight 0.8 kg

• 43072 QUADRIPOD Q3 with PU handle - bronze Adjustable height: 70-88 cm - weight 0.5 kg






BEECHWOOD STICKS:

- 27760 GIOTTO CURVED HANDLE man brown
- 27761 GIOTTO CURVED HANDLE woman brown
- 27762 RAFFAELLO "T" HANDLE man brown
- 27763 RAFFAELLO "T" HANDLE woman brown
- 27764 TIZIANO CURVED HANDLE unisex brown
- 27765 TIZIANO "T" HANDLE unisex brown
- 27768 LEONARDO METAL CURVED HANDLE unisex black
- 27769 LEONARDO METAL "T" HANDLE unisex black
- 27772 TIEPOLO CHROMED "DUCK" HANDLE unisex black Max load for wooden sticks: 100 kg. Height: 92 cm^{*}. "Depending on rubber tip and handle can change from 90 to 94 cm

QUALITY STICKS MADE IN FRANCE



WOODEN STICKS

• 27773 "T" HANDLE - wooden - maximum load 120 kg

- 27774 CROOK chestnut maximum load 100 kg
- SYNTHETIC STICKS
- 27776 "T" HANDLE black load 120 kg
- 27777 CROOK amber style load 100 kg
- 27778 CROOK horn style load 100 kg
- ADVANCED WALKING STICK
- 27771 "T" ADVANCE grey

Aluminium height adjustable cane 745-975 mm with comfortable gel-grip to reduce hand stress. Maximum load 110 kg





• 43100 EVOLUTION CRUTCHES - black/grey - pair • 43101 EVOLUTION CRUTCHES - blue/grey - pair • 43102 EVOLUTION CRUTCHES - orange/grey - pair Ergonomic handle and brachial support to enhance safety and quality of arm support while moving around. • 43110 PROGRESS 2 CRUTCHES - light grey/grey - pair For tall and heavy-weight adults, the handle adjusts from 22 to 29 cm. This crutch is suitable for adults whose height is comprised between 160 and 215 cm.

• 43115 TIKI CRUTCHES - blue/orange - pair

For children or teenagers. The handle adjusts from 17.5 to 20 cm. • 43120 RUBBER PVC TIP inside Ø 19 mm - grey - bag of 10

TECHNICAL SPECIFICATIONS EVOLUTION Model **PROGRESS 2** τικι Weight kg: 0.5 0.5 0.5 Height handle to floor cm: 76-100 76-100 52-74 Polypropylene Material of handle: 22/19 22/19 Diameter upper/down pipe mm: 22/19 10 times adjustable every 20 mm Number of adjustment of height: grey anodization/aluminium Finishing/material: 130 Certified and tested for kg: 150 100 Standard used for testing: EN ISO 11199-1 Adjustable handgrip: 4 times 3 times 35x100x220/290 32x100x175/200 Handgrip size: Ø x l x h mm 35x100x235

SKID-PROOF STICKS WITH LIGHT

43044

43045

• 43044 TRUSTY CANE - silver • 43045 TRUSTY CANE - black Sturdy, folding cane with built-in lights and extra wide pivoting head with 3 firm and skid-proof bases. Height adjustable 85-97 cm. Large base with Ø 9 cm. Shaft in aluminium (thickness 1.2 mm) Handle in ABS (15 cm). Weight 420 g. Need 3x1.5 V AAA batteries not included. • 43048 FOOT PADS - kit of 3 - spare



ELBOW CRUTCHES MADE IN FRANCE T-BAR AND ELBOW CRUTCHES



• 27793 FOREARM CRUTCH

Lightweight aluminium tube. Anatomic handgrip.

Height adjustable 96-119 cm. Weight 0.55 kg. Max load 100 kg • 27792 T-BAR CRUTCH - small

Stainless steel type.

Adjustable height: 95-115 cm. Max load 100 kg

• 27798 T-BAR CRUTCH - medium

Stainless steel type.

Adjustable height: 112-132 cm. Max load 100 kg

• 27799 T-BAR CRUTCH - large

Stainless steel type.

Adjustable height: 119-139 cm. Max load 100 kg • 27770 T-BAR CRUTCH - extra adjustability

Aluminium crutch with adjustable height 100-130 cm. Max load 100 kg

• 27797 RUBBER TIP int. Ø 22 mm grey for 27792/8/9 - bag of 5

STICKS WITH LIGHT AND ALARM



HEALTH CARE - PATIENT AIDS



• 27721 ROLLATOR Size 54x57 cm with adjustable height 52-87 cm. Weight: 8 kg - Load: 100 kg.



• 43132 ROLLATOR WITH SEAT Blue painted steel adjustable height 79-93 cm frame with padded seat. Size: 52x49 cm. Weight 6.4 kg - Load: 100 kg.

WALKING FRAME



• 27722 WALKING FRAME

Made of lightweight aluminium tubing, non-slip end and padded handgrips. Size 47x60 cm foldable with adjustable height 78-96 cm.

Weight: 2.4 kg - Load: 100 kg. • 27794 RUBBER TIP Ø 28 mm grey for 27722-3 - bag of 5 pcs.

WALKING FRAMES WITH WHEELS



• 27723 WALKING FRAME - 2 WHEELS Made of lightweight aluminium tubing, with padded hand grips, 2 non-slip ends and 2 with wheels.

Size 51x64 cm, foldable with adjustable height 79-97 cm.

Weight: 3 kg - Load: 100 kg.


• 27794 RUBBER TIP Ø 28 mm - grey for 27722-3 - bag of 5 pcs.



2 INTERNAL WHEELS Made of lightweight aluminium tubing with padded hand grips, 2 non-slip ends and 2 with wheels. Foldable. Size 51x58 cm Adjustable height 80-90 cm. Weight: 2.5 kg - Load: 100 kg.



• 43130 WALKING FRAME - 4 WHEELS Made of lightweight aluminium tubing, 2 front swivel wheels, 2 rear wheels with stop, with foam grips. Size 55x65 cm foldable with adjustable height 83-93 cm. Weight: 3.5 kg -Load: 100 kg.



HEALTH CARE - PATIENT AIDS

Weight: 8.2 kg - Load: 100 kg.

exercise from

EXERCISER

Display indicator: scan,

Power 220 V - 50 Hz - 65 W.

mode, calories, time, Reps, total Reps.

or on the floor to enjoy a bicycle-type

Forward/reverse to



PEDAL EXERCISERS

These pedal exercisers are compact exercise bikes. The regular use stimulate blood circulation and increase muscle



strength: it is a great way to enjoy a moderate cardiovascular workout. Can be placed on a tabletop to exercise arms



 43150 BASIC PEDAL EXERCISER Supplied disassembled with screw and key for easy assembling. Multilanguage box and manual: GB, FR, IT, ES, PT, DĔ, PL, GR

Folding type to save space when not in use. Provided with 5 function display: exercise time, rotation count, rotations per minute, calories burned and scan.





• 27758 BATH BENCH with backrest

Aluminium frame and padded seat. Removable plastic bowl WC. 27766 PLASTIC WC BOWL - spare



• 27759 WC - SHOWER COMMODE Suitable also as raised toilet seat Adjustable height 45-55 cm (back 78-88 cm) 27766 PLASTIC WC BOWL - spare





Total height: 86 or 86/97 cm Width between armrests: 51.5 cm Total width: 60.5 cm Height armrest-floor: 72 or 72/83 cm Height seat-floor: 52 or 52/63 cm Height seat-backrest: 38 cm Seat plate depth: 39 cm

Total depth: 58 cm

93

LIGHTWEIGHT ALUMINIUM FOLDING WHEELCHAIRS



27720 27787 27791 27728 27705

27717 27748 27791 27714 27705

83x28x91 17.2 19.4

80x33x93 17 19

FOLDING STEEL WHEELCHAIRS

1 43220



• 43220 VALUE WHEELCHAIR -46 cm seat - nylon black tissue

- double cross bar
- fixed armrest, PVC pad
- fixed footrest, flip-up
- plate, with leg strap
- 20 cm (8") solid front wheels
- 61 cm (24") solid rear wheels
- locking brakes on rear wheels
- pocket on the back



- 43225 TRANSIT WHEELCHAIR -
- 46 cm seat black tissue
- double cross bar
- fixed armrest, PVC pad
- fixed footrest, flip-up plate, with leg strap
- 15 cm (6") solid front wheels - 30 cm (12") pneumatic rear wheels
- locking brakes on rear wheels

COMFORTABLE

CE

- handles brakes for rear wheels
- folding back
- pocket on the back



• 43230 NARROW WHEELCHAIR -

- 41 cm seat black tissue
- single cross bar - fixed armrest, PU pad
- detachable footrest, flip-up
- plate, with leg strap
- 20 cm (8") solid front wheels

- 52 cm (20") pneumatic rear wheels - locking brakes on rear wheels

- adjustable distance from 43225 foot plate to front seat 46-56 cm - pocket on the back



- 27709 STANDARD WHEELCHAIR -
- 46 cm seat blue tissue
- single cross bar
- chromed frame
- fixed armrest, PVC pad
- fixed footrest, flip-up plate
- with leg strap
- 20 cm (8") solid front castors - 61 cm (24") solid rear wheels
- locking brakes on rear wheels
- large pocket on the back

- 27715 ROYAL WHEELCHAIR -
- 46 cm seat black tissue
- double cross bar

709

- chromed steel frame
- flip-up armrest, PU pad
- detachable footrest,
- flip-up plate with leg strap
- 61 cm (24") pneumatic rear
- wheels with quick relase system
- 15 cm (6") solid front castors
- locking brakes on rear wheels
- folding back
- large pocket on the back

- 27715
 - 27716 EXTRA LARGE WHEELCHAIR -27715 56 cm seat - black tissue
 - double cross bar

front castors

- powder coated steel frame
- super width 56 cm seat - flip-up armrest, PU pad
- detachable footrest, flip-up
- plate with leg strap 20 cm (8") rubber foam



27716

43230

EXTRA LARGE - 56 cm

CE

- 61 cm (24") pneumatic rear wheels
- large pocket on the back

Wheel		SPA	RE - AC	CESSO	RIES			m		1	2-1	1	1	3		TEL	1	ITT	3	0
chair	Rear wheel	Front wheel	Foot- rest pair	IV stand	Table*	PVC** backrest	11			Ðł	ۍ	ીવા	\bigcirc	⊖‡-	Щ	凸	Ă	DIM	NW	GW .
43220	43221	43222	43223	-	-	-	59		46	59	20	47	91				100	95x27x93	15	17
43225	43226	43227	43228	-	-	-	63		46	53	15	49	91				100	76x30x76	14	16.3
43230	43231	43232	43233	-	-	-	51	30	41			56	98.5	100	45	38	100	77x31x100	15.8	
27709	27744	27788	27711	27705	27706	-	64	24	46	58	20	49	87	106	40	45	100	94x23x89	17	19.2
27715	27746	27789	27712	27705	-	27707	64	28	46	61	15	51	94	106	40	45	100	80x28x78	15.8	18.6
27716	27747	-	27713	27705	27706	-	73	32	56	62	20	54	93	109	45	46	125	83x33x93	21.5	24.1

95 * Size of table: 32x55 cm

FOLDING WHEELCHAIRS



Power wheel Ø 330 mm



Castors Ø 200 mm

Footrest



BUBBLE MATTRESS

Designed for the treatment and prevention of pressure sore stage I in short-term and domiciliary therapies. The PVC mattress is composed of 130 7 cm-high bubble cells, particularly comfortable. Fixable to bed by extra flaps on both top and bottom side. Cold-resistant -30 degrees.

PUMP SYSTEM

Special silent pump for an excellent pressure regulation by a knob on the front panel. It can be hung to any kind of hospital bed frame by means of two adjustable hooks. For use with bubble or alternating cell mattresses. 28565

TECHNICAL SPECIFICATIONS - PUMP

	28565	28568			
Size:	<u>ب</u> 25x12	kh 10 cm ———			
Operating voltage:		/, 50 Hz———			
Working pressure:	40-100 mmHg	40-110 mmHg			
Air output:	6-7 liter/min	6-7 liter/min			
Cycle time:	6 min	12 min			
Plastic casing:	Taiwan chimei ABS				
, i i i i i i i i i i i i i i i i i i i	⊢TUV-CE IEC/EN60601-1; 60601-1-2				

INTERCHANGEABLE CELL-MATTRESS

Recommended for the prevention and treatment of pressure sore stage I and II in medium-term and domiciliary therapies. The 20 9.5 cm-high Nylon+PVC cells provide superior comfort.

GIMA code	MATTRESSES AND PUMP				
28564	Bubble mattress				
28565	Pump for 28564				
28566	Kit bubble mattress+pump (28564+28565)				
28567	Interchangeable cell mattress				
28568	Pump for 28567				
28569	Kit cell mattress+pump (28567+28568)				
28570	Spare cell for 28567				
Manual and box in 10 languages: GB, FR, IT, ES, DE, PT, PL, HU, GR, Arabic					
	TECHNICAL OPECIFICATIONS MATTRESS				

TECHNICAL SPECIFICATIONS - MATTRESS						
	28564	28567				
Total size:	200x90x7 cm	200x86x9.5 cm				
Cell height:	7 cm (2.7")	9.5 cm (4")				
Material:	PVC	Nylon+PVC				
Thickness:	0.32 mm	0.32 mm				
Number of cells:	130	20+1 spare				
Suitable for persons up to:	135 kg	140 kg				

THERAPEUTIC ANTI-DECUBITUS MATTRESSES - STAGE III AND IN



low-air-loss cells wicks moisture away

28575

Nylon PU cover with button biocompatibility. vapor permeable & water resistant with CA117. Flame Retardant Level.

 28575 KIT 5010 ALTERNATING PRESSURE MATTRESS + PUMP Valuable overlay system designed for prevention and treatment of patients at moderate to intesive risk of pressure ulcers Pressure is periodically redistributed by inflating and deflating cells in order to mimic natural sleep movement patterns and avoid long term pressurization of tissue. Manual in: GB, IT. • 28576 CELL for 28575 - spare

ALTERNATING FUNCTION

0000000000 00000000000000

Alternating function (Group A and Group B as shown in the picture). The pump will inflate and deflate the cell with cyclicity, to change the contact position between the patient and the bed, to promote the blood circulation to prevent the bedsore and recovery the bedsore, reducing the patient's pain and the nursing labor intensity. Pillow function (28578 only). The cell of the head position

Alternating function of 28578 won't be alternating, for more comfort to the patient. TECHNICAL SPECIFICATIONS - PUMPS (28575 and 28578) 12.5 cm (5 Size: 30x13.5xh 11 cm Cell height: Operating voltage: 220 V, 50 Hz Working pressure: 55-120 mmHg 7-8 liter/min Cycle time 12 min Air output: Flame retardant ABS Case material TUV-CE IEC/EN60601-1; 60601-1-2 PUMP 28578 only

Static Mode, low pressure alarm, quick connector, transfer function



28578 KIT 8050 ALTERNATING PRESSURE MATTRESS + PUMP Advanced systems of alternating pressure mattress. The multi-mode pump offers.

- alternating mode: the pressure is periodically redistributed by inflating and deflating cells in order to mimic natural sleep movement patterns and avoid long term pressurization of tissue. - constant static mode: the pressure is about 2/3 lowered when compared to the same pressure level from alternating mode by means of immersion and envelopment. Visual alarms notify the caregiver unusual situation, reducing the risk of human error. Suitable for the prevention and treatment of all stages of pressure ulcers. Manual in: GB, IT.

• 28579 CELL for 28578 - spare

TECHNICAL SPECIFICATIONS - MATTRESS		
	28575	28578
Total size:	200x90x12.8 cm	200x90x22 cm
Alternating		
Cell height:	12.8 cm (5")	22 cm (8.66")
Cover material:	Nylon PU with button	Nylon+PU with cotton lining
Thickness:	0.4 mm	0.3 mm
Cells material:	nylon PVC	TPU
Suitable for persons up t	o: 150 kg	180 kg

ANTI-DECUBITUS AIR MATTRESSES - MADE IN ITALY • 28483 KIT MASTER (AIR MATTRESS 28492 + MASTER PUMP • 28482 MASTER PUMP SYSTEM - with pressure adjustment

28482)


• 28492 AIR MATTRESS WITH BUBBLES

Air mattress with bubble sections which inflate and deflate alternatively latitudinally through the alternative compressor. The continual movement given by the pressure pumped inside is useful to prevent minor bedsore problems.

TECHNICAL SPECIFICATIONS MATTRESS - 28492

Total size: 190x85 cm Inflatable size: 160x85 cm Weight: 3 kg

PVC thickness: 0.4 mm Suitable for persons up to: 90 kg



• 28495 RINT PLUS AIR MATTRESS - interchangeable cells Rint Plus Mattress is made of a strong and soft PVC, realized with 17 big interchangeable bars. The integrated CPR function (Cardio Pulmonary Reanimation) allows the immediate emptying of the 17 bars. Supplied with bi-elastic, liquid proof and permeable to water-steam cover.

• 28496 INTERCHANGEABLE CELL - spare for 28495 • 28497 COVER - spare for 28495 **TECHNICAL SPECIFICATIONS MATTRESS - 28495** 195x85x10.5 cm Total size: Inflatable size: 170x90 cm Weight: 5.5 ka PVC thickness: 0.4 mm

28498

Thanks to height of cells Rint Plus can be used also with medium risk patients.

ANTI-DECUBITUS PVC WATER MAT IKESS Each water section measures

• 28499 WATER MATTRESS

Number of elements:

Suitable for persons up to:

60x70 cm It is made in PVC with a stabilising inflatable external structure to prevent excessive water "wave motion" and of 3 independent units. The water mattress distributes the total pressure on the whole supporting surface, making this less than the average arterial pressure, avoiding the exposure of the skin to pressure risk. Easy to use, it is placed over the usual mattress and it is washable. It is sold with a manual pump, 2 disinfectants and an inflation tube.

17

120 kg

Size: 190x85 cm. Weight 4 kg.

PVC thickness 0.4 mm

MADE IN ITALY

PVC WATER MATTRESS

• 28502 VALUE PVC WATER MATTRESS It helps movement and distributes pressure on the whole supporting surface. Double sealed seams provide maximum strength and durability. **Highly resistant PVC** material construction easy to clean with any mild detergent. Air frame + 3 water elements. Supplied with hand pump and hose.

28502

TECHNICAL SPECIFICATIONS Material: PVC 0.40 mm thickness Size of outer air frame: 200x93x11.5 cm Size of each element: 69x60x11.5 cm Weight: 3.5 kg

SHAMPOO BASIN

 28507 SHAMPOO BASIN Inflatable shampoo basin ideal for personal in-bed hair care needs. It supports the head, neck and shoulders during shampooing. A 20 cm deep basin helps prevent splashing. Drain hose efficiently removes water and foam. Supplied with water bag with shower head in clip. Size: 53x61x20 cm Capacity: 10 l • 28509 WATER BAG spare

28509

Vater bag for easy water ansport when water source is not easily accessible

28507

98



Made of stiff and strong ABS with control handle for easy pressure regulation. Air amount is adjustable to suit patient weight from 40 to 90 kg (28492) or 120 kg (28495). The mattress should inflate totally in about 20 minutes. Air output 2.5 l/min. Master pump can be used with bubble or interchangeable section mattress. Flame retardant PVC.

• 28481 MEMBRANE - spare for pump 28482/3

Size: 315x150x120 mm Weight: 1.95 Kg Operating voltage: 230 V - 50 Hz on request 110 V - 60 Hz

TECHNICAL SPECIFICATIONS FOR MASTER PUMP - RINT PLUS PUMP Power Consumption: 8 W Working pressure: 30-120 mm/Hg Regulations: IEC-601-1 class II Type B CLASS II



GB. FR. IT. ES. DE

28495

28499

PVČ rigid edge

inflatable with air

 28498 RINT PLUS PUMP SYSTEM - with pressure adjustment Same as Master pump (28482) but with special valve for use with Rint Plus Mattress.

28481 MEMBRANE - spare for 28498

ANTI-DECUBITUS CUSHIONS - MADE IN FRANCE





GIMA line of seat cushions is designed to prevent decubitus risk for patients on wheelchair or permanently on chairs. All cushions in Gel or Foam are supplied with a waterproof PU cover with zipper and handle.

• 28530 BULGEL CUSHION 41x41x3 cm 28531 BULGEL CUSHION 43x43x3 cm This anti-decubitus cushion is made of a flame-resistant pocket including a PE foam core covered by an aqueous gel.

AIR CUSHIONS

• 28544 GIMA AIR CUSHION - 40x40x6 cm • 28546 GIMA AIR CUSHION - 45x45x6 cm with polyester cover, pump and repair kit

- single compartment
- air cells, 64 or 81, prevent pressure sores - maximizes pressure distribution and blood flow
- conforms to the body's shape
- adjust to body changes over time.
- Max load: 150 kg

Multilanguage manual: GB, FR, IT, ES, PT, GR, PL, DE

28534



Visco elastic

foam

PREVENTION FOR HIGH DECUBITUS RISK

 28534 VISCO-MOUSS CUSHION 41x41x6 cm 28535 VISCO-MOUSS CUSHION 43x43x6 cm Pre-shaped moulded cushion made of viscoelastic foam with memory effect. Memory foam is pressure sensitive and moulds quickly to the shape of a body pressing against it, returning to its original shape once the pressure is removed. Anatomical shape with raised lateral edges and front-back slope improves positioning, stability and comfort when seated. Foam density: 86 kg/m³

28538

Visco elastic

gel

PREVENTION FOR HIGH TO VERY HIGH

• 28538 GEL AIR 2D CUSHION 41x41x7.5 cm 28539 GEL AIR 2D CUSHION 43x43x7.5 cm Made of a contoured moulded viscoelastic foam base (i.e. Visco Mouss) connected to a polyurethane gel insert. The viscoelastic fluid gel (blue pad) ensures maximum pressure relief of vulnerable bony areas while the regular gel and the foam increase the contact surface and maximize pressure relief. The cushion's shape ensures a good posture while seating and prevents from sliding forward. Foam density: 86 kg/m³

HEEL PROTECT

• 28548 HEEL PROTECTOR - 50x22x16 cm It relieves the heel pressure and prevents decubitus ulcer by increasing the contact surface. The visco Made in France

elastic foam has an anatomical shape including a bactericide and fungicide agent to provide better hygiene and disinfection.

Density: 90 kg/m³

ANTI-DECUBITUS CUSHIONS AND NECK PILLOWS - MADE IN ITALY

PREVENTION FOR HIGH TO VERY HIGH DECUBITUS RISK

Valve to adjust air


and softness of cushion

Black rope for carrying the cushion

Products to prevent low decubitus risk, made of silicone fibre, coated with 100% preshrunk_cotton cover. Main property of



28550 SHAPED CUSHION WITH HOLE



28555 TRAVEL NECK PILLOW

silicone fibre is to maintain original shape also after strong pressure. This allows to maintain comfort and proper weight



 28551 3-SECTION CUSHION All cushions and pillow are supplied with multilanguage instructions. GB. FR. IT. ES

Size

• 28556 HEEL CUSHION

32x12 cm

distribution in the time. Breathable cotton cover provides maximum cool comfort. Washable at 30-40°C.



28552 CUSHION WITH CONCAVE CENTRE



28557 HEEL CUSHION PLUS